



Sheppard Brackets

Find us at: sheppardbrackets.com

Contact us:

(208) 747-0480

info@sheppardbrackets.com

Table of Contents

- Single Pegs
- 3/4" backplate
- 1" backplate
- 1 1/4" backplate
- 1 1/2" backplate
- 2" backplate
- 3" backplate



SINGLE PEGS



Single Peg Brackets



1/2" rod

Backplate Width: 1 3/4"

Backplate Height: 1"

Weight Rating (mounted vertical): 35 lbs

Weight Rating (mounted horizontal): 20 lbs

Rod Outer Diameter: 1/2"

Backplate Thickness: 3/16"

Rod Length: 3", 5", 7"

Mounting Point Spacing: 1/2"

Rod Wall Thickness: Solid

3/4" rod

Backplate Width: 2"

Backplate Height: 1 1/4"

Weight Rating (mounted vertical): 100 lbs

Weight Rating (mounted horizontal): 60 lbs

Rod Outer Diameter: 3/4"

Backplate Thickness: 3/16"

Rod Length: 4", 6", 9", 12"

Mounting Point Spacing: 1/2"

Rod Wall Thickness: 0.065"

Single Peg Brackets



More Information:

Backplate Thickness: 0.1875 inches

Mounting Point Spacing: 0.5 inches



Backplate Material: Carbon Steel

Rod Material: Carbon Steel

Welding Method: Robotic Laser Weld on Back

3/4" BACKPLATE

FOR SHELVES 1 1/8"
TO 1 1/2" THICK





10" bracket

Number of rods: 2
Rod spacing: 6"
Weight rating: 30 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 3/4"
Rod Wall Thickness: Solid

16" bracket

Number of rods: 2
Rod spacing: 12"
Weight rating: 30 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 3/4"
Rod Wall Thickness: Solid





22" bracket

Number of rods: 2
Rod spacing: 18"
Weight rating: 30 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 3/4"
Rod Wall Thickness: Solid

3/4" BACKPLATE

FOR SHELVES 1 1/8"
TO 1 1/2" THICK





28" bracket

Number of rods: 3
Rod spacing: 12"
Weight rating: 30 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 3/4"
Rod Wall Thickness: Solid

34" bracket

Number of rods: 3
Rod spacing: 12"
Weight rating: 30 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 3/4"
Rod Wall Thickness: Solid





40" bracket

Number of rods: 4
Rod spacing: 12"
Weight rating: 30 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 3/4"
Rod Wall Thickness: Solid

3/4" BACKPLATE

FOR SHELVES 1 1/8"
TO 1 1/2" THICK





46" bracket

Number of rods: 4
Rod spacing: 12"
Weight rating: 30 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 3/4"
Rod Wall Thickness: Solid

58" bracket

Number of rods: 5
Rod spacing: 12"
Weight rating: 30 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 3/4"
Rod Wall Thickness: Solid





70" bracket

Number of rods: 6
Rod spacing: 12"
Weight rating: 30 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 3/4"
Rod Wall Thickness: Solid

3/4" BACKPLATE

FOR SHELVES 1 1/8"
TO 1 1/2" THICK



82" bracket

Number of rods: 7

Rod spacing: 12"

Weight rating: 30 lbs per stud

Rod Outer Diameter: 1/2"

Backplate Thickness: 3/16"

Rod Length: 3", 5", 7"

Mounting Point Spacing: 1/2" offset
from top to bottom

Backplate Height: 3/4"

Rod Wall Thickness: Solid

More Information:

Backplate Thickness: 0.1875 inches

Mounting Point Spacing: 0.5 inches

Backplate Material: Carbon Steel

Rod Material: Carbon Steel

Welding Method: Robotic Laser Weld on Back

1" BACKPLATE

FOR SHELVES 1 1/2" -
1 3/4" THICK





10" bracket

Number of rods: 2
Rod spacing: 6"
Weight rating: 45 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1"
Rod Wall Thickness: Solid

16" bracket

Number of rods: 2
Rod spacing: 12"
Weight rating: 45 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1"
Rod Wall Thickness: Solid




22" bracket

Number of rods: 2
Rod spacing: 18"
Weight rating: 45 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1"
Rod Wall Thickness: Solid

1" BACKPLATE

FOR SHELVES 1 1/2" -
1 3/4" THICK




28" bracket

Number of rods: 3
Rod spacing: 12"
Weight rating: 45 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1"
Rod Wall Thickness: Solid

34" bracket

Number of rods: 3
Rod spacing: 12"
Weight rating: 45 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1"
Rod Wall Thickness: Solid



40" bracket

Number of rods: 4
Rod spacing: 12"
Weight rating: 45 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1"
Rod Wall Thickness: Solid

1" BACKPLATE

FOR SHELVES 1 1/2" -
1 3/4" THICK




46" bracket

Number of rods: 4
Rod spacing: 12"
Weight rating: 45 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1"
Rod Wall Thickness: Solid

58" bracket

Number of rods: 5
Rod spacing: 12"
Weight rating: 45 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1"
Rod Wall Thickness: Solid




70" bracket

Number of rods: 6
Rod spacing: 12"
Weight rating: 45 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1"
Rod Wall Thickness: Solid

1" BACKPLATE

FOR SHELVES 1 1/2" -
1 3/4" THICK



82" bracket

Number of rods: 7
Rod spacing: 12"
Weight rating: 45 lbs per stud
Rod Outer Diameter: 1/2"
Backplate Thickness: 3/16"
Rod Length: 3", 5", 7"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1"
Rod Wall Thickness: Solid

More Information:

Backplate Thickness: 0.1875 inches
Mounting Point Spacing: 0.5 inches
Backplate Material: Carbon Steel
Rod Material: Carbon Steel
Welding Method: Robotic Laser Weld on Back

1 1/4" BACKPLATE

FOR SHELVES 1 3/4" -
2 1/2" THICK



10" bracket

Number of rods: 2
Rod spacing: 6"
Weight rating: 55 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 1 1/4"
Rod Wall Thickness: 0.065"

16" bracket

Number of rods: 2
Rod spacing: 12"
Weight rating: 55 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 1 1/4"
Rod Wall Thickness: 0.065"



22" bracket

Number of rods: 2
Rod spacing: 18"
Weight rating: 55 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 1 1/4"
Rod Wall Thickness: 0.065"



1 1/4" BACKPLATE

FOR SHELVES 1 3/4" -
2 1/2" THICK




28" bracket

Number of rods: 3
Rod spacing: 12"
Weight rating: 55 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 1 1/4"
Rod Wall Thickness: 0.065"

34" bracket

Number of rods: 3
Rod spacing: 12"
Weight rating: 55 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 1 1/4"
Rod Wall Thickness: 0.065"



40" bracket

Number of rods: 4
Rod spacing: 12"
Weight rating: 55 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 1 1/4"
Rod Wall Thickness: 0.065"

1 1/4" BACKPLATE

FOR SHELVES 1 3/4" -
2 1/2" THICK



46" bracket

Number of rods: 4
Rod spacing: 12"
Weight rating: 55 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9"
Mounting Point Spacing: 1/2" lined up from top to bottom
Backplate Height: 1 1/4"
Rod Wall Thickness: 0.065"

58" bracket

Number of rods: 5
Rod spacing: 12"
Weight rating: 55 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9"
Mounting Point Spacing: 1/2" lined up from top to bottom
Backplate Height: 1 1/4"
Rod Wall Thickness: 0.065"



70" bracket

Number of rods: 6
Rod spacing: 12"
Weight rating: 55 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9"
Mounting Point Spacing: 1/2" lined up from top to bottom
Backplate Height: 1 1/4"
Rod Wall Thickness: 0.065"

1 1/4" BACKPLATE

FOR SHELVES 1 3/4" -
2 1/2" THICK



82" bracket

Number of rods: 7

Rod spacing: 12"

Weight rating: 55 lbs per stud

Rod Outer Diameter: 3/4"

Backplate Thickness: 3/16"

Rod Length: 4", 6", 9"

Mounting Point Spacing: 1/2" lined up
from top to bottom

Backplate Height: 1 1/4"

Rod Wall Thickness: 0.065"

More Information:

Backplate Thickness: 0.1875 inches

Mounting Point Spacing: 0.5 inches

Backplate Material: Carbon Steel

Rod Material: Carbon Steel

Welding Method: Robotic Laser Weld on Back

1 1/2" BACKPLATE

FOR SHELVES 1 3/4" -
2 1/2" THICK



10" bracket

Number of rods: 2
Rod spacing: 6"
Weight rating: 60 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6" 9", 12"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1 1/2"
Rod Wall Thickness: 0.065"

16" bracket

Number of rods: 2
Rod spacing: 12"
Weight rating: 60 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6" 9", 12"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1 1/2"
Rod Wall Thickness: 0.065"



22" bracket

Number of rods: 2
Rod spacing: 18"
Weight rating: 60 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6" 9", 12"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1 1/2"
Rod Wall Thickness: 0.065"

1 1/2" BACKPLATE

FOR SHELVES 1 3/4" -
2 1/2" THICK



28" bracket

Number of rods: 3

Rod spacing: 12"

Weight rating: 60 lbs per stud

Rod Outer Diameter: 3/4"

Backplate Thickness: 3/16"

Rod Length: 4", 6" 9", 12"

Mounting Point Spacing: 1/2" offset
from top to bottom

Backplate Height: 1 1/2"

Rod Wall Thickness: 0.065"

34" bracket

Number of rods: 3

Rod spacing: 12"

Weight rating: 60 lbs per stud

Rod Outer Diameter: 3/4"


Backplate Thickness: 3/16"

Rod Length: 4", 6" 9", 12"

Mounting Point Spacing: 1/2" offset
from top to bottom

Backplate Height: 1 1/2"

Rod Wall Thickness: 0.065"



40" bracket

Number of rods: 4

Rod spacing: 12"

Weight rating: 60 lbs per stud

Rod Outer Diameter: 3/4"

Backplate Thickness: 3/16"

Rod Length: 4", 6" 9", 12"


Mounting Point Spacing: 1/2" offset
from top to bottom

Backplate Height: 1 1/2"

Rod Wall Thickness: 0.065"

1 1/2" BACKPLATE

FOR SHELVES 1 3/4" -
2 1/2" THICK




46" bracket

Number of rods: 4
Rod spacing: 12"
Weight rating: 60 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1 1/2"
Rod Wall Thickness: 0.065"

58" bracket

Number of rods: 5
Rod spacing: 12"
Weight rating: 60 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1 1/2"
Rod Wall Thickness: 0.065"



70" bracket

Number of rods: 6
Rod spacing: 12"
Weight rating: 60 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1 1/2"
Rod Wall Thickness: 0.065"

1 1/2" BACKPLATE

FOR SHELVES 1 3/4" -
2 1/2" THICK



82" bracket

Number of rods: 7
Rod spacing: 12"
Weight rating: 60 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6" 9", 12"
Mounting Point Spacing: 1/2" offset
from top to bottom
Backplate Height: 1 1/2"
Rod Wall Thickness: 0.065"

More Information:

Backplate Thickness: 0.1875 inches
Mounting Point Spacing: 0.5 inches
Backplate Material: Carbon Steel
Rod Material: Carbon Steel
Welding Method: Robotic Laser Weld on Back

2" BACKPLATE

FOR MANTELS AND
SHELVES 2 1/2" - 3 1/2"



10" bracket

Number of rods: 2
Rod spacing: 6"
Weight rating: 80 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 2"
Rod Wall Thickness: 0.065"

16" bracket

Number of rods: 2
Rod spacing: 12"
Weight rating: 80 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 2"
Rod Wall Thickness: 0.065"




22" bracket

Number of rods: 2
Rod spacing: 18"
Weight rating: 80 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 2"
Rod Wall Thickness: 0.065"

2" BACKPLATE

FOR MANTELS AND
SHELVES 2 1/2" - 3 1/2"



28" bracket

Number of rods: 3
Rod spacing: 12"
Weight rating: 80 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 2"
Rod Wall Thickness: 0.065"

34" bracket

Number of rods: 3
Rod spacing: 12"
Weight rating: 80 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 2"
Rod Wall Thickness: 0.065"




40" bracket

Number of rods: 4
Rod spacing: 12"
Weight rating: 80 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 2"
Rod Wall Thickness: 0.065"

2" BACKPLATE

FOR MANTELS AND
SHELVES 2 1/2"-3 1/2"



46" bracket

Number of rods: 4

Rod spacing: 12"

Weight rating: 80 lbs per stud

Rod Outer Diameter: 3/4"

Backplate Thickness: 3/16"

Rod Length: 4", 6", 9", 12"

Mounting Point Spacing: 1/2" lined up
from top to bottom

Backplate Height: 2"

Rod Wall Thickness: 0.065"

58" bracket

Number of rods: 5

Rod spacing: 12"

Weight rating: 80 lbs per stud

Rod Outer Diameter: 3/4"



Backplate Thickness: 3/16"

Rod Length: 4", 6", 9", 12"

Mounting Point Spacing: 1/2" lined up
from top to bottom

Backplate Height: 2"

Rod Wall Thickness: 0.065"



70" bracket

Number of rods: 6

Rod spacing: 12"

Weight rating: 80 lbs per stud

Rod Outer Diameter: 3/4"

Backplate Thickness: 3/16"

Rod Length: 4", 6", 9", 12"


Mounting Point Spacing: 1/2" lined up
from top to bottom

Backplate Height: 2"

Rod Wall Thickness: 0.065"

2" BACKPLATE

FOR MANTELS AND
SHELVES 2 1/2" - 3 1/2"



82" bracket

Number of rods: 7
Rod spacing: 12"
Weight rating: 80 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 2"
Rod Wall Thickness: 0.065"

More Information:

Backplate Thickness: 0.1875 inches
Mounting Point Spacing: 0.5 inches
Backplate Material: Carbon Steel
Rod Material: Carbon Steel
Welding Method: Robotic Laser Weld on Back

3" BACKPLATE

FOR MANTELS 3 1/2"
OR THICKER



10" bracket

Number of rods: 2
Rod spacing: 6"
Weight rating: 100 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 3"
Rod Wall Thickness: 0.065"

16" bracket

Number of rods: 2
Rod spacing: 12"
Weight rating: 100 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 3"
Rod Wall Thickness: 0.065"




22" bracket

Number of rods: 2
Rod spacing: 18"
Weight rating: 100 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 3"
Rod Wall Thickness: 0.065"

3" BACKPLATE

FOR MANTELS 3 1/2"
OR THICKER




28" bracket

Number of rods: 3
Rod spacing: 12"
Weight rating: 100 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 3"
Rod Wall Thickness: 0.065"

34" bracket

Number of rods: 3
Rod spacing: 12"
Weight rating: 100 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 3"
Rod Wall Thickness: 0.065"




40" bracket

Number of rods: 4
Rod spacing: 12"
Weight rating: 100 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 3"
Rod Wall Thickness: 0.065"

3" BACKPLATE

FOR MANTELS 3 1/2"
OR THICKER





46" bracket

Number of rods: 4
Rod spacing: 12"
Weight rating: 100 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 3"
Rod Wall Thickness: 0.065"

58" bracket

Number of rods: 5
Rod spacing: 12"
Weight rating: 100 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 3"
Rod Wall Thickness: 0.065"



70" bracket

Number of rods: 6
Rod spacing: 12"
Weight rating: 100 lbs per stud
Rod Outer Diameter: 3/4"
Backplate Thickness: 3/16"
Rod Length: 4", 6", 9", 12"
Mounting Point Spacing: 1/2" lined up
from top to bottom
Backplate Height: 3"
Rod Wall Thickness: 0.065"

3" BACKPLATE

FOR MANTELS 3 1/2"
OR THICKER



82" bracket

Number of rods: 7

Rod spacing: 12"

Weight rating: 100 lbs per stud

Rod Outer Diameter: 3/4"

Backplate Thickness: 3/16"

Rod Length: 4", 6", 9", 12"

Mounting Point Spacing: 1/2" lined up
from top to bottom

Backplate Height: 3"

Rod Wall Thickness: 0.065"

More Information:

Backplate Thickness: 0.1875 inches

Mounting Point Spacing: 0.5 inches

Backplate Material: Carbon Steel

Rod Material: Carbon Steel

Welding Method: Robotic Laser Weld on Back